


## Be Your Window To The World



Picture and logos

### SELLING POINTS

- Windows 11 Famille - MSI recommande Windows 11 Professionnel pour les entreprises
- Écran 27" IPS, résolution Full HD 1920 x 1080, rétroéclairage LED et angle de vision de 178°
- Jusqu'au processeur Intel® Core™ i7 14700 avec mémoire DDR5
- Taux de rafraîchissement de 100 Hz et technologies antiscintillement et de réduction de la lumière bleue
- Pied de support ajustable et design de montage sans outils pour plus de simplicité
- Support de trois écrans avec les ports HDMI™ et DisplayPort
- Webcam Full HD intégrée et authentification biométrique Windows Hello
- Logiciel Tobii Aware pour une excellente protection de votre vie privée
- MSI Cloud Center permettant de créer un espace cloud privé et sauvegarder des fichiers depuis des appareils Android et iOS
- Technologie dTPM 2.0 pour assurer une bonne protection des données confidentielles
- Immersion audio totale avec le système de traitement audio DTS
- Produit soumis à de nombreux tests de fiabilité et de qualité



1. 1 x DC Jack
2. 1 x HDMI™ out (2.1)
3. 1 x DisplayPort out (1.4)
4. 1 x RJ-45 LAN
5. 1 x USB 3.2 Gen 2 Type C / 1 x USB 3.2 Gen 2 Type A
6. 2 x USB 2.0 Type A
7. 1 x Mic-in
8. 1 x Line-out
9. 1 x Kensington Lock
10. 2 x USB 3.2 Gen 1 Type A

**SPECIFICATION**

Système d'exploitation	Systèmes d'exploitation	Windows 11 Pro
	Operating Systems	Windows 11 Pro
Processeur	CPU Number	Intel Core i7 Processor 14700
	CPU Clock	2.1GHz
	CPU Cores	20
	TDP	65W
	Cache	33 MB Intel® Smart Cache
	Threads	28
	Max Turbo Frequency	up to 5.40 GHz
Modèle	Part No	9S6-AF8322-652
	MKT Name	PRO AP272P 14M
	MKT Spec	PRO AP272P 14M-652FR
	Color	ID1/White-White-White
	Model	AF83
Chipset	Chipsets	H610
Mémoire	Memory Size	16GB(8GB*2)
	Memory Type	DDR5 SDRAM
	Memory Speed	2800(5600)MHz
	Module Type	SO-DIMM
	Memory Slot(Total)	2
	Memory Slot(Free)	0
	Max Capacity	Max 64GB
	Memory Slot (Total/Free)	2/0
Graphismes	GPU1 VRAM Size	N/A
	GPU1 VRAM Type	N/A
	GPU1 Vendor	N/A
	GPU1 MKT Name	N/A
	GPU1 Number	UMA
Affichage	View Angles	178°(H)/178°(V)
	Touch Screen	Non-touch
	Screen Size	27" (69 cm)
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Brightness (nits)	250
	Contrast Ratio	1000:1
	Refresh Rate	N/A
Response Time (GTG)	14ms	
Stockage	SSD Interface	PCIe GEN3x4
	SSD Form Factor	M.2-2280 M-KEY
	SSD Config	1TB*1
	SSD Size	1TB
	HDD1 Interface	N/A
	HDD1 Form Factor	N/A
	HDD1 Size	N/A
	HDD1 RPM	N/A
	ODD(Type)	N/A
	ODD Height	N/A
	ODD Type	N/A
	M.2 slots (Total/Free)	1/0
	2.5" Drive Bays (Total/Free)	1/1
	3.5" Drive Bays (Total/Free)	N/A/0
	M.2 slots(Total)	1
	M.2 slots(Free)	0
	2.5" Drive Bays(Total)	1
	2.5" Drive Bays (Free)	1
3.5" Drive Bays(Total)	N/A	
3.5" Drive Bays(Free)	0	
Audio	Audio Chipset	Realtek ALC897
	Audio Type	2.1 Channel HD Audio

Communication	LAN	Intel I219-V	
	WLAN Version	Wi-Fi 6E+BT	
	BT Version	5.3	
	WLAN	INTEL/AX211.NG.WG.NV	
Ports E/S (avant)	USB 2.0 Type A	N/A	
	USB 3.2 Gen 1 Type A	2	
	USB 3.2 Gen 1 Type C	N/A	
	USB 3.2 Gen 2 Type A	N/A	
	USB 3.2 Gen 2 Type C	N/A	
	USB 3.2 Gen 2x2 Type C	N/A	
	USB 3.2 Gen 2x2 Type A	N/A	
	Mic-in/Headphone-out combo	N/A	
Périphérique d'entrée	Card Reader	N/A	
	Webcam	internal webcam	
Ports E/S (côté)	Webcam Resolution	2.0MP (1080P)	
	USB 3.2 Gen 2x2 Type A	N/A	
	USB 2.0 Type A	N/A	
	Type-C in	N/A	
	Mic-in	N/A	
	Headphone-out	N/A	
	Headphone-out (HiFi / SPDIF)	N/A	
	Mic-in/Headphone-out combo	N/A	
	Card Reader	N/A	
	USB 3.2 Gen 2x2 (20G) Type C	N/A	
	USB 3.2 Gen 2 (10G) Type C	N/A	
	USB 3.2 Gen 2 (10G) Type A	N/A	
	USB 3.2 Gen 1 (5G) Type C	N/A	
	USB 3.2 Gen 1 (5G) Type A	2	
	Ports E/S (arrière)	USB 3.2 Gen 2x2 Type C (R)	N/A
		USB 3.2 Gen 2x2 Type A (R)	N/A
USB 3.2 Gen 2 Type C (R)		1	
USB 3.2 Gen 2 Type A (R)		1	
USB 3.2 Gen 1 Type C (R)		N/A	
USB 3.2 Gen 1 Type A (R)		N/A	
USB 2.0 Type C (R)		N/A	
USB 2.0 Type A (R)		2	
RJ45		1	
VGA out		N/A	
HDMI out		1x (v2.1)	
DP out		1x (v1.4)	
mini DP out		N/A	
PS/2		N/A	
COM Port		N/A	
DVI-D out		N/A	
Mic-in/Headphone-out combo (R)		N/A	
USB 2.0 Type A (Top)		N/A	
Printer Port (Parallel)		N/A	
HDMI in		N/A	
Line-out (R)		1	
Lock type		Kensington	
USB 3.2 Gen 2x2 (20G) Type C (R)		N/A	
USB 3.2 Gen 2 (10G) Type C (R)		1	
USB 3.2 Gen 2 (10G) Type A (R)		1	
USB 3.2 Gen 1 (5G) Type C (R)		N/A	
USB 3.2 Gen 1 (5G) Type A (R)		N/A	
Alimentation	AC Adapter Output	120W	
	Battery	N/A	
	Battery Whrs	N/A	
Ports E/S	Mic-in	N/A	
	Headphone-out	N/A	

Design	Adjustment (Tilt)	-4°~20°(+/-2°)
	Adjustment (Swivel)	N/A
	Adjustment (Height)	N/A
	Adjustment (Pivot)	N/A
Garantie	Warranty	36months
Dimensions et poids	Product Dimension with Holder (WxDxH) (mm)	N/A
	Product Dimension with Stand (WxDxH) (mm)	613.49 x 268.00 x 457.66
	Weight (Net kg)	4.63
	Weight (Net lbs)	10.21
	Weight (Gross kg)	8
	Weight (Gross lbs)	17.64
	Inside Carton Dimension with Holder (WxDxH) (mm)	N/A
STAND	Inside Carton Dimension with Stand (WxDxH) (mm)	696 x 218 x 490
	Adjustment (Tilt)	-4°~20°(+/-2°)
	Adjustment (Swivel)	N/A
	Adjustment (Height)	N/A
Dimensions du produit avec support (LxPxH)	Adjustment (Pivot)	N/A
	Product Dimension with Stand (WxDxH) (mm)	613.49 x 268.00 x 457.66
Mécanique et environnement	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)
	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
Accessoires	AC Adaptor	1
	Power Cord	1
	Warranty Card	N/A
	Quick Guide	2
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard	RF1430W
	Keyboard Interface	WIRELESS
Mouse	MA04W	
Code-barre	Mouse Interface	WIRELESS
	EAN	4711377203463